




LDK[®]

BEARINGS



•SBPP200



•SAPP200

SBPP200 系列

带座轴承 型号	轴 径 d		基本尺寸(mm)									螺栓尺寸 (mm)	重量 (kg)
	(in)	(mm)	L	J	H	H ₁	H ₀	N	A	B	S		
SBPP 201 201-8 202 202-10 203 203-11	1/2 5/8 11/16	12 15 17	86	68	22.2	2.4	43.4	9.5	25	22	6	M8	0.15
SBPP 204 204-12	3/4	20	98	76	25.4	3	50.4	9.5	30	25	7	M8	0.22
SBPP 205 205-14 205-15 205-16	7/8 15/16 1	25	108	86	28.6	4	56.5	11.5	32	27	7.5	M10	0.31
SBPP 206 206-18 206-19 206-20	1-1/8 1-3/16 11/4	30	117	95	33.3	4	66.3	11.5	38	30	8	M10	0.43
SBPP 207 207-20 207-21 207-22 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	130	106	39.7	5	78.2	11.5	43	32	8.5	M10	0.63
SBPP 208 208-24 208-25	1-1/2 1-9/16	40	148	120	43.7	5	85.8	12	43.5	34	9	M10	0.9
SBPP 209 209-26 209-27 209-28	1-5/8 1-11/16 1-3/4	45	156	128	46.8	6	92.3	13	45.7	36	9.5	M10	1.20

SAPP200 系列



带座轴承 型号	轴 径 d		基本尺寸(mm)										螺栓尺寸		重量 (kg)
	(in)	(mm)	L	J	H	H ₁	H ₀	N	A	d ₁	B ₁	S	(mm)	(in)	
SAPP 201 201-8 202 202-10 203 203-11	1/2 5/8 11/16	12 15 17	86	68	22.2	2.4	43.4	9.5	25	28.6	28.6	6	M6	1/4	0.26
SAPP 204 204-12	3/4	20	98	76	25.4	3	50.4	9.5	30	33.3	31	7	M8	5/16	0.31
SAPP 205 205-14 205-15 205-16	7/8 15/16 1	25	108	86	28.6	4	56.5	11.5	32	38.1	31.5	7.5	M8	5/16	0.38
SAPP 206 206-18 206-19 206-20	1-1/8 1-3/16 11/4	30	117	95	33.3	4	66.3	11.5	38	44.5	35.7	8	M10	3/8	0.56
SAPP 207 207-20 207-21 207-22 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	130	106	39.7	5	78.2	11.5	43	55.6	38.9	8.5	M10	3/8	0.8
SAPP 208 208-24 208-25	1-1/2 1-9/16	40	148	120	43.7	5	85.8	12	43.5	60.3	43.7	9	M12	1/2	1.07
SAPP 209 209-26 209-27 209-28	1-5/8 1-11/16 1-3/4	45	156	128	46.8	6	92.3	13	45.7	63.5	43.7	9.5	M12	1/2	1.24

<http://www.ldk-bearings.com>


B60

LDK[®]

BEARINGS



•SBPFL200




•SAPFL200

SBPFL200 系列

带座轴承 型号	轴 径 d		基本尺寸(mm)								螺栓尺寸		重量 (kg)
	(in)	(mm)	H	J	L	A	A ₁	N	B	S	(mm)	(in)	
SBPFL 201		12											
201-8	1/2	12											
202		15	81	63.5	59	14	4	7	22	6	M6	1/4	0.23
202-10	5/8	15											
203		17											
203-11	11/16	17											
SBPFL 204		20	90	71.5	67	16	4	9	25	7	M8	5/16	0.26
204-12	3/4	20											
SBPFL 205		25	95	76	71	18	4	9	27	7.5	M8	5/16	0.35
205-14	7/8	25											
205-15	15/16	25											
205-16	1	25											
SBPFL 206		30	113	90.5	84	18	5	11	30	8	M10	3/8	0.46
206-18	1-1/8	30											
206-19	1-3/16	30											
206-20	1-1/4	30											
SBPFL 207		35	122	100	94	20	5	11	32	8.5	M10	3/8	0.73
207-20	1-1/4	35											
207-21	1-5/16	35											
207-22	1-3/8	35											
207-23	1-7/16	35											
SBPFL 208		40	147	119	106	23	7	13.5	34	9	M12	1/2	0.94
208-24	1-1/2	40											
208-25	1-9/16	40											

SAPFL200 系列

带座轴承 型号	轴 径 d		基本尺寸(mm)									螺栓尺寸		重量 (kg)
	(in)	(mm)	H	J	L	A	A ₁	d ₁	N	B ₁	S	(mm)	(in)	
SAPFL 201		12												
201-8	1/2	15												
202		15	81	63.5	59	14	4	28.6	7	22	6	M6	1/4	0.34
202-10	5/8	17												
203		17												
203-11	11/16													
SAPFL 204		20	90	71.5	67	16	4	33.3	9	25	7	M8	5/16	0.35
204-12	3/4													
SAPFL 205		25	95	76	71	18	4	38.1	9	27	7.5	M8	5/16	0.42
205-14	7/8													
205-15	15/16													
205-16	1													
SAPFL 206		30	113	90.5	84	18	5	44.5	11	30	8	M10	3/8	0.59
206-18	1-1/8													
206-19	1-3/16													
206-20	1-1/4													
SAPFL 207		35	122	100	94	20	5	55.6	11	32	8.5	M10	3/8	0.9
207-20	1-1/4													
207-21	1-5/16													
207-22	1-3/8													
207-23	1-7/16													
SAPFL 208		40	147	119	106	23	7	60.3	13.5	34	9	M12	1/2	1.11
208-24	1-1/2													
208-25	1-9/16													




SAPF200 SAPFT200 系列

带座轴承 型号	轴 径 d		基本尺寸(mm)								螺栓尺寸		重量 (kg)
	(in)	(mm)	H	J	A	A ₁	d ₁	N	B ₁	S	(mm)	(in)	
201		12											
201-8	1/2	15	81	63.5	14	4	28.6	7	28.6	6	M6	1/4	0.24
202		17											
202-10	5/8	17											
203		20											
203-11	11/16	20											
204		25											
204-12	3/4	25	90	71	16	4	33.3	9	31	7	M8	5/16	0.35
205		30											
205-14	7/8	30											
205-15	15/16	30	95	76	18	4	38.1	9	31.5	7.5	M8	5/16	0.42
205-16	1	30											
206		35											
206-18	1-1/8	35											
206-19	1-3/16	35	113	90	18	5	44.5	11	35.7	8	M10	3/8	0.59
206-20	1-1/4	35											
207		40											
207-20	1-1/4	40											
207-21	1-5/16	40	122	100	20	5	55.6	11	38.9	8.5	M10	3/8	0.9
207-22	1-3/8	40											
207-23	1-7/16	40											
208		45											
208-24	1-1/2	45	148	119	23	7	60.3	13.5	43.7	9	M12	1/2	1.11
208-25	1-9/16	45											
209		50											
209-26	1-5/8	50	150	120.5	23	7	63.5	13.5	43.7	9.5	M12	1/2	1.48
209-27	1-11/16	50											
209-28	1-3/4	50											
210		55											
210-30	1-7/8	55	157	127	25	8	63.5	13.5	43.7	10	M12	1/2	
210-31	1-15/16	55											
211		60											
211-32	2	60	168	138	26	8	63.5	13.5	48.4	10.5	M12	1/2	
211-34	2-1/8	60											
211-35	2-3/16	60											
212													
212-36	2-1/4		177	148	28	8	63.5	13.5	53.1	11	M12	1/2	
212-38	2-3/8												
212-39	2-7/16												

PF208-212 带四个螺栓孔。

LDK[®]

BEARINGS



SBPF200 SBPFT200 系列

带座轴承 型号		轴 径 d		基本尺寸(mm)							螺栓尺寸		重量 (kg)
		(in)	(mm)	H	J	A	A ₁	N	B	S	(mm)	(in)	
SBPF SBPFT	201		12										
	201-8	1/2	15										
	202		15										
	202-10	5/8	17	81	63.5	14	4	7	22	6	M6	1/4	0.23
	203		17										
	203-11	11/16											
	204		20										
	204-12	3/4	20	90	71	16	4	9	25	7	M8	5/16	0.26
	205		25										
	205-14	7/8											
	205-15	15/16		95	76	18	4	9	27	7.5	M8	5/16	0.35
	205-16	1											
	206		30										
	206-18	1-1/8											
	206-19	1-3/16		113	90	18	5	11	30	8	M10	3/8	0.46
	206-20	1-1/4											
	207		35										
	207-20	1-1/4											
	207-21	1-5/16		122	100	20	5	11	32	8.5	M10	3/8	0.73
	207-22	1-3/8											
	207-23	1-7/16											
	208		40										
	208-24	1-1/2		148	119	23	7	13.5	34	9	M12	1/2	0.94
	208-25	1-9/16											
	209		45										
	209-26	1-5/8											
	209-27	1-11/16		150	120.5	23	7	13.5	36	9.5	M12	1/2	1.44
	209-28	1-3/4											
210		50											
210-30	1-7/8		157	127	25	8	13.5	38	10	M12	1/2		
210-31	1-15/16												
211		55											
211-32	2												
211-34	2-1/8		168	138	26	8	13.5	40	10.5	M12	1/2		
211-35	2-3/16												
212		60											
212-36	2-1/4												
212-38	2-3/8		177	148	28	8	13.5	42	11	M12	1/2		
212-39	2-7/16												

PF208~212 带四个螺栓孔。